

	Document Title: Structural Performance Certification Authorization Report	Doc No: FRM B1-02	
		Rev No: 7	Page: 1 Of: 1
Required By: PRO B1-03			

CAR & Product ID Number: 190 - 789.0
Issue Date: 10/20/2011
Revision Date: 5/27/2015
Expiration Date: 9/21/2018
Company Code: 190

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.


This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

Licensee Information: PGT Industries 1070 Technology Dr. PO Box 1529 Nokomis FL 34274	Product Information: Model: CD290 Cabana Full Lite Aluminum Outswing Door Operator Type: SHD Config: No, GS-1/8" Temp Mono Max Width: 37 Max Height: 81
---	---

Referenced Standard: AAMA/WDMA/CSA 101/I.S.2/A440-08	Product Rating: Class R-PG50 949x2051 (37x81)-Type SHD
--	--

Qualifying Test Information:	
Test Report No:	FTL-6631/6634
Test Report Expiration:	9/21/2018

Authorized Signature:



Digitally signed by Eric Rock
DN: cn=Eric Rock, o=Keystone
Certifications, Inc., ou,
email=erock@keystonecerts.com,
c=US
Date: 2015.05.27 13:24:46 -04'00'

Keystone Certifications, Inc.
564 Old York Road, Suite 5
Etters, Pennsylvania 17319
Phone: 717-932-8500
Fax: 717-932-8501

	Document Title: Structural Performance Certification Authorization Report	Doc No: FRM B1-02	
		Rev No: 7	Page: 1 Of: 1
Required By: PRO B1-03			

CAR & Product ID Number: 190 - 791.0
Issue Date: 10/20/2011
Revision Date: 5/27/2015
Expiration Date: 9/23/2018
Company Code: 190

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

Licensee Information:	Product Information:
PGT Industries 1070 Technology Dr. PO Box 1529 Nokomis FL 34274	Model: CD290 Cabana Aluminum Full Lite O/S Door w/ SH Operator Type: SHD Config: No, GS-1/8" Temp Mono Max Width: 37 Max Height: 81

Referenced Standard:	Product Rating:
AAMA/WDMA/CSA 101/I.S.2/A440-08	Class R-PG50 949x2051 (37x81)-Type SHD

Qualifying Test Information:	
Test Report No:	FTL-6633/6634
Test Report Expiration:	9/23/2018

Authorized Signature:



Digitally signed by Eric Rock
DN: cn=Eric Rock, o=Keystone
Certifications, Inc., ou,
email=erock@keystonecerts.com,
c=US
Date: 2015.05.27 13:25:51 -04'00'

Keystone Certifications, Inc.
564 Old York Road, Suite 5
Etters, Pennsylvania 17319
Phone: 717-932-8500
Fax: 717-932-8501

	Document Title:	Doc No: FRM B1-02		
	Structural Performance Certification Authorization Report	Rev No: 7	Page: 1	Of: 1
Required By: PRO B1-03				

CAR & Product ID Number: 190 - 792.0

Issue Date: 10/20/2011

Revision Date: 5/27/2015

Expiration Date: 9/26/2018

Company Code: 190

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

Licensee Information:	Product Information:
PGT Industries 1070 Technology Dr. PO Box 1529 Nokomis FL 34274	Model: CD290 Cabana Aluminum Full Lite O/S Door w/ SH Operator Type: SHD Config: No, GS-1/8" Temp Mono Max Width: 72 Max Height: 96

Referenced Standard:	Product Rating:
AAMA/WDMA/CSA 101/I.S.2/A440-08	Class R-PG35 1829x2438 (72x96)-Type SHD XX

Qualifying Test Information:	
Test Report No:	FTL-6644/6635
Test Report Expiration:	9/26/2018

Authorized Signature:



Digitally signed by Eric Rock
DN: cn=Eric Rock, o=Keystone
Certifications, Inc., ou,
email=erock@keystonecerts.com,
c=US
Date: 2015.05.27 13:26:30 -04'00'

Keystone Certifications, Inc.

564 Old York Road, Suite 5
Etters, Pennsylvania 17319
Phone: 717-932-8500
Fax: 717-932-8501

	Document Title: Structural Performance Certification Authorization Report	Doc No: FRM B1-02		
		Rev No: 7	Page: 1	Of: 1
Required By: PRO B1-03				

CAR & Product ID Number: 190 - 793.0
Issue Date: 10/20/2011
Revision Date: 5/27/2015
Expiration Date: 9/26/2018
Company Code: 190

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.


This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

Licensee Information:	Product Information:
PGT Industries 1070 Technology Dr. PO Box 1529 Nokomis FL 34274	Model: CD290 Cabana Al Full Lite O/S Door w/SH/ADA Sill Operator Type: SHD Config: No, GS-1/8" Temp Mono Max Width: 72 Max Height: 96

Referenced Standard:	Product Rating:
AAMA/WDMA/CSA 101/I.S.2/A440-08	Class R-PG35 1829x2438 (72x96)-Type SHD LW XX

Qualifying Test Information:	
Test Report No:	FTL-6645/6635/6681
Test Report Expiration:	9/26/2018

Authorized Signature:



Digitally signed by Eric Rock
DN: cn=Eric Rock, o=Keystone
Certifications, Inc., ou,
email=erock@keystonecerts.com,
c=US
Date: 2015.05.27 13:27:17 -04'00'

Keystone Certifications, Inc.

564 Old York Road, Suite 5
Etters, Pennsylvania 17319
Phone: 717-932-8500
Fax: 717-932-8501

	Document Title:	Doc No: FRM B1-02		
	Structural Performance Certification Authorization Report	Rev No: 7	Page: 1	Of: 1
Required By: PRO B1-03				

CAR & Product ID Number: 190 - 794.0
 Issue Date: 10/20/2011
 Revision Date: 5/27/2015
 Expiration Date: 9/26/2018
 Company Code: 190

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

Licensee Information:	Product Information:
PGT Industries 1070 Technology Dr. PO Box 1529 Nokomis FL 34274	Model: CD290 Cabana Al Full Lite I/S Door w/SH/ADA Sill Operator Type: SHD Config: No, GS-1/8" Temp Mono Max Width: 72 Max Height: 96

Referenced Standard:	Product Rating:
AAMA/WDMA/CSA 101/I.S.2/A440-08	Class R-PG35 1829x2438 (72x96)-Type SHD LW XX

Qualifying Test Information:	
Test Report No:	FTL-6646/6635
Test Report Expiration:	9/26/2018

Authorized Signature:



Digitally signed by Eric Rock
 DN: cn=Eric Rock, o=Keystone
 Certifications, Inc., ou,
 email=erock@keystonecerts.com, c=US
 Date: 2015.05.27 13:27:57 -04'00'

Keystone Certifications, Inc.
 564 Old York Road, Suite 5
 Etters, Pennsylvania 17319
 Phone: 717-932-8500
 Fax: 717-932-8501